



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

A and M Technical Services, Inc.

**4102 Lauder Road
Houston, TX 77039**

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 24 June 2024

Certificate Number: AT-2057



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

A and M Technical Services, Inc.

4102 Lauder Road

Houston, TX 77039

Chris Rudnicki 281 227 0588

Chris.rudnicki@am-technical.com

www.am-technical.com

TESTING

Valid to: **June 24, 2024**


Certificate Number: **AT-2057**

Mechanical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Chemical Composition - OES	ASTM E415, ASTM E1251, ASTM A751	Metals	OES,
Chemical Composition -XRF (Positive Material Identification)	ASTM E2465, ASTM E322, ASTM E572	Metals	XRF
Metallography, Corrosion Testing	ASTM E3, ASTM A 923 A, B, C, ASTM G48 A, ASTM E112, ASTM E45 A, D, ASTM E562, ASTM E381, ASTM E340	Metals	Microscope, Balance, Scales
Susceptibility to Intergranular Corrosion	ASTM A262 Practices A, B, C, and E	Metals	Microscope
Tensile	ASTM A370 ASTM E8, AWS D1.1, ASME Sect. IX	Metals	Tensile Machine
Impact	ASTM A370 ASTM E23, ASME Sect. VIII	Metals	Charpy Impact Tester
Hardness	ASTM A370, ASTM E384, ASTM E10, ASTM E18, ASTM E92	Metals	Hardness Tester – Brinell, Rockwell, Vickers

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-2057.



R. Douglas Leonard Jr., VP, PILR SBU

